



# Statement of Memory Volatility

Product and Manufacturer				
<b>Models:</b> 2052R/2062R/2000T	<b>Manufacturer:</b> Fluke Corporation			
	<b>Address:</b> 6920 Seaway Blvd.			
	<b>City:</b> Everett	<b>State:</b> WA	<b>Zip:</b> 98203	<b>Phone:</b> 800-283-5853
Volatile Memory				
<b>Does the item contain volatile memory (i.e., memory whose contents are lost when power is removed)?</b> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No    (If the answer is 'Yes', provide the following information for each type of memory.)				
Memory Type (SRAM, DRAM, etc.):	Size:	User Modifiable:	Function:	Process to Clear:
		<input type="checkbox"/> Yes <input type="checkbox"/> No		
Non-Volatile Memory				
<b>Does the item contain non-volatile memory (i.e., memory whose contents are retained when power is removed)?</b> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No    (If the answer is 'Yes', provide the following information for each type of memory.)				
Memory Type (BBRAM, Flash, EEPROM, etc.):	Size:	User Modifiable:	Function:	Process to Clear:
		<input type="checkbox"/> Yes <input type="checkbox"/> No		

### Media

Does the item contain media storage capability (i.e., removable or non-removable disk drives, memory cards, etc.)?

Yes       No      (If the answer is 'Yes', provide the following information for each type of memory.)

	Storage Type (Disk, Tape, etc.):	Size:	User Modifiable:	Function:	Process to Clear:
			<input type="checkbox"/> Yes <input type="checkbox"/> No		

### Additional Information

<Example: This is a simple cable tester. FLASH memory is used for program storage and is modified in one instance to store a simple 16-bit number which is used as a calibration factor (called the Nominal Velocity of Propagation). This factor is used to correct the length measurement of a cable. RAM memory is used as operating memory and stack while the unit is running.>

### Fluke/Fluke Calibration/Fluke Networks Representative Information

<b>Name:</b> Jarek Bras	<b>Title:</b> Engineering Director	<b>Office Phone:</b> 425-446-6151	<b>Fax/Email:</b> Jarek.bras@fluke.com
----------------------------	---------------------------------------	--------------------------------------	---